

# Neo

Enclosure



SYSTEMPOOL  
PORCELANOSA Grupo



Neo 9



Neo 9C+5



Neo 9/9



Neo P

Bath



Neo 8B



Neo 9/9B

# Neo



Shower

Neo 1



Neo 2C+5



Neo 3




Neo 6



# Characteristics


## Shape essence

The conjunction of very few elements, of accurate geometry, give rise to a simple and beautiful screen, discrete but inevitably the focal point wherever it is located.



## The widest range of solutions

The wide range of models and sizes that the NEO screen line provides, solves practically all the needs that may arise.



## Tailored, a very personal screen

Because there must be a specific solution for each place, SYSTEMPOOL can adapt and customize the NEO screen, following accurately the needs of each client.



8mm tempered glass

As with other SP enclosures, the glass used for the NEO collection complies with the EN-12150 standard on safety glass.



System-Glass

Exclusive SP system by which water runs quickly throughout the glass surface, extending its clean and bright appearance. It reduces lime, soap foam, and bacteria deposits.



Zamak decorative hinges

SP uses the Zamak alloy to make the NEO hinges. This lets us offer a design with great personality and, in addition, a chrome finish with excellent quality and resistance.



Telescopic tie rods

They give the NEO screen great versatility for avoiding difficulties in installations such as windows or columns. Thanks to the telescopic extensive run tie rods, it adapts to any space.



Wide measurement offsetting

NEO screens are designed to be compatible with any installation space, adjusting to the required measurement thanks to the built-in offsetting profiles.



HGA decorative profiles

SP's High Gloss Anodized profiles use a specific aluminum alloy, as well as the electrolytic polishing process used. Thus, our profiles define the maximum quality standard on the market.



Offsetting for walls that are not in line with the vertical

The specific side profiles can compensate for any irregularities in the walls during installation. Their special design ensures that the shower enclosures fit perfectly without affecting their visual appearance.



Premium height 2 m

SP screens stand out above others. Their slim and slender look, thanks to a maximized height, is also a plus in comfort much appreciated by taller people.

# Technical data

## Formats


SHOWER										
1 WALL		2 WALLS								
NEO P	NEO P10	RECTANGULAR				WALKIN				
NEO 2/2	NEO 2C	NEO 4		NEO 5	NEO 8C	NEO 9C	NEO 1	NEO 10		
120	120	70x70	70	70x70	100x75	70	70	80	70	140
140	140	75x70	75	75x70	100x80	75	75	90	80	150
		75x75	80	75x75	100x90	80	80	100	90	160
		80x70	90	80x70	110x70	90	90	110	100	170
		80x75		80x75	110x75	100		120	110	180
		80x80		80x80	110x80	110		130	120	
		90x70		90x70	110x90	120		140	130	
		90x75		90x75	120x70			150	140	
		90x80		90x80	120x75				150	
		90x90		90x90	120x80					
				100x70	120x90					


SHOWER							BATH			
2 WALLS ANGULAR		3 WALLS					2 WALLS			3 WALLS
NEO 3	NEO 6	NEO 2	NEO 9	NEO 9/9	NEO 8	NEO 9+	NEO 2B	NEO 2B+	NEO 8B	NEO 9/9B
90	80	80	80	150	70	120	80	100	90	150
100	90	90	90	160	75	130	90	110	100	160
	100		100	170	80	140		120		170
			110	180	90	150				180
			120	190		160				190
			130			170				
			140			180				
			150							

## Finishes

8 mm Tempered glass




Serigraphy




Profiles



Fittings



Tensors





8MM TEMPERED GLASS



SYSTEM-GLASS



ZAMAK DECORATIVE  
HINGES



TELESCOPIC  
TIE RODS



WIDE MEASUREMENT  
OFFSETTING



HGA DECORATIVE  
PROFILES



OFFSETTING ARE NOT IN  
LINE WITH THE VERTICAL



PREMIUM HEIGHT 2 M



**SYSTEMPOOL**  
PORCELANOSA Grupo

SYSTEMPOOL, S.A. - Ctra. Villarreal-Puebla de Arenoso, Km 1 / P.O. / Box 372 - 12.540 VILLARREAL (Castellón) - SPAIN  
Tel: +34 964 50 64 64 - Fax Nac. 964 50 64 81 - Fax Exp. +34 964 50 64 80 / E-mail: [system-pool@system-pool.com](mailto:system-pool@system-pool.com) - [www.system-pool.com](http://www.system-pool.com)